

**Test Report** No. SHAHG1918071701 Date: 20 Aug 2019 Page 1 of 3

SHANGHAI H&B NEW MATERIALS CO.,LTD.

RM.501,BLDG.6,NO.88 DARWIN RD.,ZHANGJIANG HI-TECH PARK,PUDONG DISTRICT,SHANGHAI,201203,P.R.CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as: ZN7025T

SGS Job No.: SHHL1908043748CW - SH

Style No.: ZN7025T

Date of Sample Received: 14 Aug 2019

Testing Period: 14 Aug 2019 - 20 Aug 2019

Test Requested : Selected test(s) as requested by client.

Test Method: Please refer to next page(s).

Test Results: Please refer to next page(s).

Result Summary:

Test Requested	Conclusion
FDA 21 CFR 177.1630- Chloroform-soluble extractives	PASS

Signed for and on behalf of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Jenny Yao

Approved Signatory





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms



**Test Report** No. SHAHG1918071701 Date: 20 Aug 2019 Page 2 of 3

Test Results:

**Test Part Description:** 

Specimen No. SGS Sample ID Description Material (claimed by the client)

SN1 SHA19-180717.001 Transparent plastic sheet PET

Remarks:

(1) mg/dm<sup>2</sup> = milligram per square decimeter

(2) mg/kg = milligram per kilogram

(3) °C= degree Celsius

(4) < = less than

(5) MDL = Method Detection Limit

(6) ND = Not Detected ( < MDL)

## FDA 21 CFR 177.1630- Chloroform-soluble extractives

Test Method: With reference to FDA 21 CFR 177.1630(e).

Simulant Used	<u>Time</u>	<u>Temperature</u>	Max. Permissible	Result of 001	Conclusion
			<u>Limit</u>	Chloroform-solubl	
				e extractives	
Distilled water	24hr(s)	120°F	0.5mg/inch <sup>2</sup>	<0.1mg/inch²	PASS
n-Heptane	24hr(s)	120°F	0.5mg/inch <sup>2</sup>	<0.1mg/inch²	PASS
8% Alcohol	24hr(s)	120°F	0.5mg/inch <sup>2</sup>	<0.1mg/inch²	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: (5N\_Doccheck@sgs.com)

31'Building,No.889 Yishan Road Xuhui District, Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn




## **Test Report**

No. SHAHG1918071701

Page 3 of 3

Date: 20 Aug 2019

Sample photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

\*\*Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*\*Certificate of the company is a certificate of the company is a certif